STORE#S/608,611,647,288,664,341,423

SPECIFICATIONS

ROWS:

DATE:

138

FOR:

PATHMARK

CAPACITY:

759

1/1/96

POG # 15

3x4 6 SHELF

AUTHORIZED BY: Author

REVISED 1/98

COMPANY	SHARE	ROWS	CTNS	RACK	\$ MONTH	\$ YEAR
	OF MKT			SHARE		
PHILIP MORRIS	58.8	69	414	54.5		
RJ. REYNOLDS	16.0	23	115	15.1		
LORRILLARD	11.0	18	90	11.8		
B&W	12.0	18	90	11.8	4	
NO FRILLS		5	25	3.3		
LM	2.0	-5	25	3.3	1	
TOTAL		138	759			

PM
10 ROWS
8 HIGH
√ PM
10 ROWS
5 HIGH
` PM
10 ROWS
5 HIGH
NO FRILLS L&M
5 ROWS 5 ROWS
5 HIGH
LOR. B&W
5 ROWS 5 ROWS
5 HIGH 5 HIGH
RJR
10 ROWS

5 HIGH

3

_	4
I	РМ
i	13 ROWS
ı	8 HIGH
	РМ
I	13 ROWS
I	5 HIGH
	PM
	13 ROWS
	5 HIGH
	LOR
	13 ROWS
	5 HIGH
	B&W
	13 ROWS
	5 HIGH
	RJR
	13 ROWS
	5 HIGH

STORE#S/558

SPECIFICATIONS

ROWS:

273.6

FOR:

PATHMARK

CAPACITY:

1,368

4x4x4 7 SHELF

DATE:

Jan-98

AUTHORIZED BY: A. All

POG # 16

REVISED 1/98

COMPANY	SHARE OF MKT	ROWS	CTNS	RACK SHARE	\$ MONTH	\$ YEAR
PHILIP MORRIS	58.8	148	738	53.5		
RJ. REYNOLDS	16.0	42	210	15.4		
LORRILLARD	11.0	36	180	13.2	•	
B&W	12.0	36	180	13.2	1	
L&M	2.0	6	30	2.2	1	
NO FRILLS		6	30	2.2		
TOTAL		274	1368			

4

PM 12 ROWS 8 HIGH

8 HIGH PM

12 ROWS 5 HIGH

PM

12 ROWS

5 HIGH

PM NO FRILLS 6 ROWS 6 ROWS

> 5 HIGH B&W

12 ROWS

5 HIGH

B&W

12 ROWS

5 HIGH

RJR 12 ROWS

5 HIGH

.

PM 12 ROWS

8 HIGH

PM 12 ROWS

5 HIGH

PM

12 ROWS

5 HIGH

LOR

12 ROWS

5 HIGH

LOR 12 ROWS

5 HIGH

B&W

12 ROWS

5 HIGH RJR

12 ROWS

5 HIGH

4

PM

12 ROWS 8 HIGH

PM

12 ROWS

5 HIGH

PM

12 ROWS

5 HIGH

РМ

12 ROWS

5 HIGH

LOR 12 ROWS

5 HIGH

LM RJR

6 ROWS 6 ROWS

5 HIGH

RJR 12 ROWS

STORE#S/286

SPECIFICATIONS

ROWS:

258.4

FOR:

PATHMARK

CAPACITY:

1.292

4x4x3 7 SHELF

Jan-98
AUTHORIZED BY: Moltal

POG #17

REVISED 1/98

COMPANY	SHARE OF MKT	ROWS	CTNS	RACK SHARE	\$ MONTH	\$ YEAR
PHILIP MORRIS	58.8	138	692	53.5		
RJ. REYNOLDS	16.0	40	200	15.5		<u> </u>
LORRILLARD	11.0	36	180	13.2		
B&W	12.0	32	160	13.2		
L&M	2.0	6	30	2.6		
NO FRILLS		6	30	2.6		
-						· · · · · · · · · · · · · · · · · · ·
TOTAL		258	1292			

4

PM **12 ROWS**

8 HIGH

PM

12 ROWS

5 HIGH

PM

12 ROWS

5 HIGH

PM NO FRILLS 6 ROWS 6 ROWS

5 HIGH

LOR

12 ROWS 5 HIGH

RJR

12 ROWS

5 HIGH

RJR

12 ROWS

5 HIGH

4

РМ

12 ROWS

8 HIGH

PM **12 ROWS**

5 HIGH

РМ

12 ROWS

5 HIGH

LOR

12 ROWS

5 HIGH

LOR

12 ROWS

5 HIGH

B&W

12 ROWS

5 HIGH

RJR

12 ROWS

5 HIGH

3

РМ

10 ROWS 8 HIGH

PM

10 ROWS

5 HIGH

РМ

10 ROWS

5 HIGH РМ

10 ROWS

5 HIGH

B&W

10 ROWS

5 HIGH

B&W 10 ROWS

5 HIGH RJR LM

4 ROWS 6 ROWS

STORE#S/662,186

SPECIFICATIONS

ROWS:

144

612

FOR: **PATHMARK**

CAPACITY:

4X4XX3 /4 SHELF

DATE:

Jan-98

AUTHORIZED BY: 1. Skt.

POG #18

COMPANY	SHARE	ROWS	CTNS	RACK	\$ MONTH	\$ YEAR
	OF MKT			SHARE		
PHILIP MORRIS	58.8	72	324	52.9		
RJ. REYNOLDS	16	23	92	15		
LORRILLARD	11	23	92	15		
B&W	12	13	52	8.5		
NO FRILLS		6	24	3.9		&
L&M	2	7	28	4.6		
TOTAL		144	612	1		

4 FT

PM **13 ROWS** 5 HIGH PM **13 ROWS** 4 HIGH NO FRILLS LM 6 R & 7 R 4 HIGH B&W

13 ROWS

4 HIGH

4FT

PM 13 ROWS 5 HIGH РМ **13 ROWS** 4 HIGH LOR 10 ROWS 4 HIGH RJR 13 ROWS 4 HIGH

3FT

PM 10 ROWS 5 HIGH PM 10 ROWS 4 HIGH LOR 10 ROWS 4 HIGH **RJR** 10 ROWS 4 HIGH

STORE#S/155

SPECIFICATIONS

ROWS:

230

FOR:

PATHMARK

CAPACITY:

966

4x4x4x3

5 SHELF

DATE:

Jan-98 AUTHORIZED BY: 1. Utile

POG #19

REVISED 1/98

COMPANY	SHARE	ROWS	CTNS	RACK	\$ MONTH	\$ YEAR
	OF MKT			SHARE		
PHILIP MORRIS	58.8	116	510	52.7		
RJ. REYNOLDS	16	40	160	16.5		
LORRILLARD	11	36	144	14.9		
B&W	12	22	88	9.1		
NO FRILLS		6	24	2.5		
L&M	2	10	40	4.1		
TOTAL		230	966			

4FT PM **12 ROWS** 5 HIGH PM **12 ROWS** 4 HIGH PM **12 ROWS** 4 HIGH NO FRILLS RJR 6 ROWS 6 ROWS 4 HIGH RJR **12 ROWS**

4 HIGH

4FT РМ 12 ROWS 5 HIGH PM **12 ROWS** 4 HIGH PM **12 ROWS** 4 HIGH LOR **12 ROWS** 4 HIGH LOR 12 ROWS 4 HIGH

4FT PM **12 ROWS** 5 HIGH PM **12 ROWS** 4 HIGH B&W **12 ROWS** 4 HIGH LOR. **12 ROWS** 4 HIGH RJR **12 ROWS** 4 HIGH

3FT PM **10 ROWS** 5 HIGH PM **10 ROWS** 4 HIGH B&W 10 ROWS 4 HIGH LM **10 ROWS** 4 HIGH RJR 10 ROWS 4 HIGH

STORE#S/299,644

SPECIFICATIONS

ROWS:

245

CAPACITY:

1.029

Jan-98

DATE: AUTHORIZED BY: M. Stell FOR: **PATHMARK**

3X4X4X4 **5 SHELF**

POG #20

REVISED 1/98

COMPANY	SHARE	ROWS	CTNS	RACK	\$ MONTH	\$ YEAR
	OF MKT			SHARE		
PHILIP MORRIS	58.8	131	573	55.6		
RJ. REYNOLDS	16	39	156	15.2		
LORRILLARD	11	33	132	12.8		
B&W	12	30	120	11.6		
NO FRILLS		6	24	2.3		•
L&M	2	6	24	2.3		
TOTAL		245	1,029	 		

PM
10 ROWS
5 HIGH
РМ
10 ROWS
4 HIGH
PM

3FT

10 ROWS 4 HIGH PM 10 ROWS 4 HIGH NO FRILLS B&W 6 ROWS 4 ROWS 4 HIGH

4FT

РМ 13 ROWS 5 HIGH РМ **13 ROWS** 4 HIGH PM **13 ROWS** 4 HIGH LOR **13 ROWS** 4 HIGH LOR 13 ROWS 4 HIGH

4FT

PM **13 ROWS** 5 HIGH PM **13 ROWS** 4 HIGH RJR 13 ROWS 4 HIGH LOR. LM 7 ROWS & 6 ROWS 4 HIGH B&W **13 ROWS** 4 HIGH

4FT

PM **13 ROWS** 5 HIGH РМ **13 ROWS** 4 HIGH RJR **13 ROWS** 4 HIGH RJR **13 ROWS** 4 HIGH B&W **13 ROWS** 4 HIGH

STORE# 175

SPECIFICATIONS

ROWS:

220

CAPACITY:

1,104

DATE:

Jan-98 AUTHORIZED BY: M. All FOR:

PATHMARK

4X4X4X4

4 SHELF

POG #21

REVISED 1/98

COMPANY	SHARE	ROWS	CTNS	RACK	\$ MONTH	\$ YEAR
	OF MKT			SHARE		
PHILIP MORRIS	58.8	118	594	54%		
RJ. REYNOLDS	16	36	180	16%		
LORRILLARD	11	28	140	13%		
B&W	12	24	120	11%		
NO FRILLS		6	30	3%		•
Lam	2	8	40			
TOTAL	 	220	1,104			

4FT
PM
12 ROWS
8 HIGH
N.FRILLS/BASIC
6 ROWS/6 ROWS
5 HIGH
B&W
12 RQWS
5 HIGH
B&W
12 ROWS
5 HIGH

4FT	
PM	
12 ROWS	
8 HIGH	
PM	
12 ROWS	
5 HIGH	
RJR	
12 ROWS	
5 HIGH	_
LM LOR.	
8 ROWS 4 ROWS	
5 HIGH	

4FT	4FT
PM	PM
12 ROWS	12 ROWS
8 HIGH	8 HIGH
PM	PM
12 ROWS	12 ROWS
5 HIGH	5 HIGH
RJR	RJR
12 ROWS	12 ROWS
5 HIGH	5 HIGH
LOR.	LOR.
12 ROWS	12 ROWS
5 HIGH	5 HIGH

STORE#S/196 &569

SPECIFICATIONS

ROWS:

281

FOR:

PATHMARK

CAPACITY:

1,406

3x5x3 7 SHELF

AUTHORIZED BY: N. H.

POG # 22

COMPANY	SHARE OF MKT	ROWS	CTNS	RACK SHARE	\$ MONTH	\$ YEAR
PHILIP MORRIS	58.8	147	736	52.3		
RJ. REYNOLDS	16	47	235	16.7		
LORRILLARD	11	37	185	13.1		
B&W	12	34	170	12.1		
NO FRILLS		6	30	2.1		
L&M	2	10	50	3.5		
					<u> </u>	<u> </u>
TOTAL		281	1,406			

PM						
10 ROWS						
8 HIGH						
, PM						
10 ROWS						
5 HIGH						
PM						
10 ROWS						
5 HIGH						
PM NO FRILLS						
4 ROWS 6 ROWS						
5 HIGH						
PM						
10 ROWS						
5 HIGH						
LM						

10 ROWS 5 HIGH RJR

10 ROWS 5 HIGH

3

PM
17 ROWS
8 High
PM
17 ROWS
5 HIGH
PM
17 ROWS
5 HIGH
LOR
17 ROWS
5 HIGH
B&W
17 ROWS
5 HIGH
B&W
17 ROWS
5 HIGH
RJR
17 ROWS
5 HIGH

5

3
PM
10 ROWS
8 HIGH
PM
10 ROWS
5 HIGH
PM
10 ROWS
5 HIGH
LOR
10 ROWS
5 HIGH
LOR
10 ROWS
5 HIGH
RJR
10 ROWS
5 HIGH
RJR
10 ROWS
5 HIGH

PLAN - O- GRAM

STORE #642

SPECIFICATIONS

ROWS:

120

CAPACITY:

FOR:

PATHMARK

504

2X2X2X2

5 SHELF

DATE:

Jan-98

AUTHORIZED BY: 1. Hel-

POG #23

REVISED 1/98

COMPANY	SHARE	ROWS	CTNS	RACK	\$ MONTH	\$ YEAR
	OF MKT			SHARE		
PHILIP MORRIS	58.8	60	264	52.3		
RJ. REYNOLDS	16	18	72	14.3		
LORRILLARD	11	18	72	14.3		
B&W	12	18	72	14.3		
NO FRILLS		•				
L&M	2	6	24	4.7		
				 		
TOTAL	-	120	504	 		

2 FT

PM 6 ROWS 5 HIGH PM 6 ROWS 4 HIGH RM 6 ROWS 4 HIGH LORILLARD 6 ROWS

4 HIGH

LM

6 ROWS

4 HIGH

2 FT

PM

6 ROWS 5 HIGH PM 6 ROWS 4 HIGH

PM 6 ROWS

4 HIGH

LORILLARD

6 ROWS 4 HIGH

B&W 6 ROWS

4 HIGH

2 FT

PM 6 ROWS 5 HIGH

> PM 6 ROWS

4 HIGH

RJR 6 ROWS

4 HIGH

LORILLARD 6 ROWS

4 HIGH B&W

6 ROWS 4 HIGH

2 FT

PM 6 ROWS 5 HIGH

PM 6 ROWS

4 HIGH RJR

6 ROWS

4 HIGH

RJR 6 ROWS

4 HIGH

B&W 6 ROWS

STORE# 552,534

SPECIFICATIONS

ROWS:

DATE:

CAPACITY:

237

37

1,188

Jan-98

AUTHORIZED BY: L. VILL

FOR: PATHMARK

4x4x4 6 SHELF

POG # 24 WEST WINDSOR

COMPANY	SHARE OF MKT	ROWS	CTNS	RACK SHARE	\$ MONTH	\$ YEAR
						
PHILIP MORRIS	58.8	129	648	54.5		
rj. Reynolds	16.0	36	180	15.3		
LORRILLARD	11.0	36	180	15.3		
B&W	12.0	24	120	10.1		
L&M	2.0	6	30	2.5		
NO FRILLS		6	30	2.5		
TOTAL		237	1188			

PM:
12 ROWS
8 HIGH
, PM
12 ROWS
5 HIGH
PM
12 ROWS
5 HIGH
LM NO FRILLS
6 ROWS 6 ROWS
5 HIGH
B&W
12 ROWS
5 High
RJR
12 ROWS
5 HIGH

РМ
12 ROWS
8 HIGH
PM
12 ROWS
5 HIGH
PM
12 ROWS
5 HIGH
LOR
12 ROWS
5 HIGH
B&W
12 ROWS
5 HIGH
RJR
12 ROWS
5 HIGH

4

4
PM
12 ROWS
8 HIGH
PM
12 ROWS
5 HIGH
PM
12 ROWS
5 HI G H
LOR
12 ROWS
5 HIGH
LOR
12 ROWS
5 HIGH
RJR
12 ROWS
5 HIGH

STORE# 528

SPECIFICATIONS

ROWS:

160

FOR:

Pathmark

CAPACITY:

672

3X4X3 5 SHELF

DATE:

Jan-98 AUTHORIZED BY: 1 July

POG#25

revised 1/98

COMPANY	SHARE	ROWS	CTNS	RACK	\$ MONTH	\$ YEAR
	OF MKT			SHARE	1	
PHILIP MORRIS	58.8	78	344	51.20%		
RJ. REYNOLDS	16.0	26	104	15.47%		
LORRILLARD	11.0	22	88	13.09%		
B&W.	12.0	22	88	13.09%		
NO FRILLS		6	24	3.57%		
L&M	2.0	6	24	3.57%		
TOTAL		160	672			

3FT

PM 10 ROWS

5 HIGH

PM 10 ROWS

4 HIGH

PM

10 ROWS

4 HIGH

NO FRILLS BASIC 6 ROWS 4 ROWS

4 HIGH

RJR

10 ROWS

4 HIGH

4FT

PM **12 ROWS**

5 HIGH

PM

12 ROWS

4 HIGH

LOR

12 ROWS

4 HIGH

B&W

12 ROWS

4 HIGH

RJR **12 ROWS**

4 HIGH

3FT

PM

10 ROWS

5 HIGH

РМ

10 ROWS

4 HIGH

LOR

10 ROWS

4 HIGH

B&W

10 ROWS

4 HIGH

RJR LM 4 ROWS 6 ROWS

4 HIGH

4995

REVISED 1/98

SPECIFICATIONS

ROWS:

208.8

FOR:

PATHMARK /GRAYS FERRY #532

CAPACITY:

1,044

3x3 7 SHELF

DATE:

Jan-98

3 SHELF/24 ROW GLASS ENCLOSURE

AUTHORIZED BY: A. All

POG#532

COMPANY	SHARE OF MKT	ROWS	CTNS	RACK SHARE	\$ MONTH	\$ YEAR
PHILIP MORRIS	58.8	109.8	549	52.5		
rj. Reynolds	16	33	165	16		
LORRILLARD	11	24	120	11.5		
B&W	12	24	120	11.5		
L&M	2	9	45	4.3		•
NO FRILLS	•	9	45	4.3		
					 	
TOTAL		208.8	1,044	100		

CARTON FIXTURE

PM
9 ROWS
8 HIGH
PM
9 ROWS
5 HIGH
PM
9 ROWS
5 HIGH
PM
9 ROWS
5 HIGH
PM
9 ROWS
5 HIGH
NO FRILLS
9 ROWS
5 HIGH
RJR
9 ROWS
5 HIGH

3

3
PM
9 ROWS
8 HIGH
PM
9 ROWS
5 HIGH
PM
9 ROWS
5 HIGH
PM
9 ROWS
5 HIGH
PM
9 ROW\$
5 HIGH
PM
9 ROWS
5 HIGH
LM
9 ROWS
5 HIGH

LOR.
24 ROWS
5 HIGH
RJR
24 ROWS
5 HIGH
B&W
24 ROWS
5 HIGH

SPECIFICATIONS

ROWS:

146.4

FOR:

PATHMARK: FRANKFORD AVE

CAPACITY:

732

4x4 7 SHELF

AUTHORIZED BY: Authorized BY:

POG # 553

REVISED 1/98

COMPANY	SHARE	ROWS	CTNS	RACK	\$ MONTH	\$ YEAR
	OF MKT			SHARE		
PHILIP MORRIS	58.8	80.4	402	54.9		····
RJ. REYNOLDS	16	24	120	16.4	1	
LORRILLARD	11	18	90	12.3		
B&W	12	18	90	12.3	1	
NO FRILLS		6	30	4	1	
L&M	2	0	0	0		
TOTAL		146.4	732	·	}	

PM **12 ROWS**

3 HIGH

PM 6 ROWS **NO FRILLS**

6 ROWS

3 HIGH PM

12 ROWS

5 HIGH PM

12 ROWS

5 HIGH

B & W

12 ROWS

5 HIGH

RJR 12 ROWS

5 HIGH

RJR

12 ROWS

5 HIGH

PM **12 ROWS**

5 HIGH

PM

12 ROWS

5 HIGH

PM

12 ROWS

5 HIGH PM

12 ROWS

5 HIGH

LOR

12 ROWS

5 HIGH

LOR & B&W

6 ROWS 6 ROWS

NO REVISIONS

SPECIFICATIONS

ROWS:

191.6

958

FOR:

PATHMARK /CITY LINE #556

4x4 7 SHELF

CAPACITY: DATE:

Jan-98

3 SHELF/24 ROW GLASS ENCLOSURE

AUTHORIZED BY: M. CAL

POG#556

COMPANY	SHARE OF MKT	ROWS	CTNS	RACK SHARE	\$ MONTH	\$ YEAR
PHILIP MORRIS	58.8	106.6	533	55.6		
RJ. REYNOLDS	16	24	120	12.5		
LORRILLARD	11	24	120	12.5		
B&W	12	24	120	12.5		
L&M	2	7	35	3.7		
NO FRILLS		6	30	3,1		
	- 					
TOTAL		191.6	958	99.9		

CARTON FIXTURE

4
PM
13 ROWS
8 HIGH
PM
13 ROWS
5 HIGH
PM
13 ROWS
5 HIGH
NO FRILLS LM
6 ROWS 7 ROWS
5 HIGH

- -	
PM	
13 ROWS	
8 HIGH	
PM	
13 ROWS	
5 HIGH	
PM	***************************************
PM	
PM 13 ROWS	
PM 13 ROWS 5 HIGH	

RJR
24 ROWS
5 HIGH
LOR.
24 ROWS
5 HIGH
B&W
24 ROWS
5 HIGH

REVISED 1/98

SPECIFICATIONS

ROWS: CAPACITY:

DATE:

231.6

1,158

Aug-96

FOR:

PATHMARK / COTTMAN #564

3x3 7 SHELF

3 SHELF/24 ROW GLASS ENCLOSURE

AUTHORIZED BY: N Vall

POG#564

COMPANY	SHARE OF MKT	ROWS	CTNS	RACK SHARE	\$ MONTH	\$ YEAR
PHILIP MORRIS	58.8	120.6	603	52		
RJ. REYNOLDS	16	39	195	17.2		
LORRILLARD	11	24	120	10.9		· · · · · · · · · · · · · · · · · · ·
B&W	12	30	150	12.9		,
L&M	2	9	45	3.9		•
NO FRILLS		9	45	3.9		
	_				-	
TOTAL		231.6	1,158	100.8		

CARTON FIXTURE

3
PM
9 ROWS
8 HIGH
PM
9 ROWS
5 HIGH
, PM
9 ROWS
5 HIGH
PM
9 ROWS
5 HIGH
NO FRILLS
9 ROWS
5 HIGH
RJR
9 ROWS
5 HIGH
LM
9 ROWS
5 HIGH

4	. '
PM	
12 ROWS	
8 HIGH	
РM	
12 ROWS	
5 HIGH	
PM	
12 ROWS	
5 HIGH	
PM	
12 ROWS	
5 HIGH	
PM	
12 ROWS	
5 HIGH	
PM	_
12 ROWS	
5 HIGH	
RJR BW	
6 ROWS 6 ROWS	
5 HIGH	

RJR
24 ROWS
5 HIGH
LOR.
24 ROWS
5 HIGH
B&W
24 ROWS
5 HIGH

SPECIFICATIONS

ROWS:

DATE:

CAPACITY:

216

FOR:

PATHMARK /MARLBORO # 571

984

Jan-98

4x4 7 SHELF

3 SHELF/24 ROW GLASS ENCLOSURE

AUTHORIZED BY: M. Sel

POG#571

COMPANY	SHARE OF MKT	ROWS	CTNS	RACK SHARE	\$ MONTH	\$ YEAR
PHILIP MORRIS	58.8	120	504	51		
RJ. REYNOLDS	16	38	190	19.3		
LORRILLARD	11	28	140	14		
B&W	12	18	90	9.1		
L&M	2	6	30	3		
NO FRILLS		6	30	3		
·					-	
TOTAL		216	984	99.4		

CARTON FIXTURE

PM

12 ROWS

8 HIGH

PM

12 ROWS

4 HIGH

PM

12 ROWS

4 HIGH

PM

12 ROWS

4 HIGH

PM

12 ROWS

4 HIGH

PM 12 ROWS 8 HIGH

РМ **12 ROWS** 5 HIGH

РМ

12 ROWS 5 HIGH

PM

12 ROWS

5 HIGH

PM

12 ROWS

5 HIGH

RJR					
32 ROWS					
5 HIGH					
LOR. LM					
28 ROWS 4 ROWS					
5 HIGH					
NO FRILLS B&W LM					
6 ROWS 18 ROWS 2 ROWS					
5 HIGH					

PLAN - O- GRAM

SPECIFICATIONS

ROWS:

DATE:

252

AUTHORIZED BY: K. Het

CAPACITY:

1,116

Jan-98

FOR:

PATHMARK

4X4X4 5 SHELF/GLASS ENCLOSURE

HOWELL

POG #573

HAZLET

COMPANY	SHARE	ROWS	CTNS	RACK	\$ MONTH	\$ YEAR
	OF MKT	ļ		SHARE		
PHILIP MORRIS	58.8	132	564	50.5		
RJ. REYNOLDS	16	40	200	17.9		
LORRILLARD	11	36	168	15.1		
B&W	12	32	136	12.2		
NO FRILLS		6	24	2.1		
L&M	2	6	24	2.1		
	<u> </u>					
TOTAL		252	1,116	 		

4FT

PM **12 ROWS** 5 HIGH

PM 12 ROWS 4 HIGH

PM 12 ROWS

4 HIGH NO FRILLS & LM

6 ROWS 6 ROWS

4 HIGH B&W

12 ROWS 4 HIGH

4FT

PM **12 ROWS** 5 HIGH

РМ 12 ROWS

4 HIGH PM

12 ROWS 4 HIGH

PM **12 ROWS**

> 4 HIGH B&W

12 ROWS

4 HIGH

4FT

PM **12 ROWS**

5 HIGH

PM **12 ROWS**

4 HIGH

PM

12 ROWS

4 HIGH

PM **12 ROWS**

4 HIGH

LORILLARD

12 ROWS

4 HIGH

GLASS

ENCLOSURE

LORILLARD

24 ROWS

5 HIGH RJR

24 ROWS

5 HIGH

RJR B&W

16 ROWS 8 ROWS

STORE #S 646,685,114

SPECIFICATIONS

ROWS:

153.6

FOR:

PATHMARK

CAPACITY:

768

4x4 6 SHELF

AUTHORIZED BY: it. Island

POG#1

REVISED 1/98

COMPANY	SHARE OF MKT	ROWS	CTNS	RACK SHARE	\$ MONTH	\$ YEAR
PHILIP MORRIS	58.8	81.6	408	53.1		
rj. Reynolds	16	24	120	15.6		
LORRILLARD	11	18	90	11.7	1	
B&W	12	18	90	11.7	1	
L&M	2	6	30	3.9	<u> </u>	
NO FRILLS		6	30	3.9		
					<u> </u>	
TOTAL		153.6	768			

РМ

12 ROWS

7 HIGH

PM

12 ROWS

5 HIGH

PM

12 ROWS

5 HIGH

NO FRILLS LM 6 ROWS 6 ROWS

5 HIGH

B&W

12 ROWS

5 HIGH

RJR

12 ROWS

5 HIGH

4

PM

12 ROWS

7 HIGH

PM

12 ROWS 5 HIGH

PM

12 ROWS

5 HIGH

LOR

12 ROWS

5 HIGH

B&W LOR. 6 ROWS 6 ROWS

5 HIGH

RJR

12 ROWS 5 HIGH

> 51846 5002

STORE# 289

SPECIFICATIONS

ROWS:

220

FOR:

Pathmark

CAPACITY:

924

5X5X3 5 SHELF

Jan-96
AUTHORIZED BY: L. Sale

POG#2

revised 1/98

COMPANY	SHARE OF MKT	ROWS	CTNS	RACK SHARE	\$ MONTH	\$ YEAR
PHILIP MORRIS	58.8	115	504	54.50%		
RJ. REYNOLDS	16.0	38	152	16.50%	·	
LORRILLARD	11.0	27	108	11.70%		
B&W	12.0	27	108	11.70%		
NO FRILLS		7	28	3.00%		
L&M	2.0	6	24	2.60%		
TOTAL		220	924			

	,	•	
_	L.		
_	_	4	

PM					
17 ROWS					
5 HIGH					
PM					
17 ROWS					
4 HIGH					
PM					
17 ROWS					
4 HIGH					
NO FRILLS BASIC					
7 ROWS 10 ROWS					
4 HIGH					
RJR					
17 ROWS					
4 HIGH					

5FT

PM
17 ROWS
5 HIGH
PM
17 ROWS
4 HIGH
LOR
17 ROWS
4 HIGH
B&W
17 ROWS
4 HIGH
RJR
17 ROWS
4 HIGH

3FT

	J1 1	
ľ	PM	•
	10 ROWS	
	5 HIGH	
ĺ	PM	
	10 ROWS	
	4 HIGH	
ľ	LQR	
	10 ROWS	
l	4 HIGH	
ľ	B&W	_
	10 ROWS	
l	4 HIGH	
ľ	LM	
1	10 ROWS	
١	4 HIGH	



Store # 626

SPECIFICATIONS

ROWS:

220

FOR:

CAPACITY:

924

PATHMARK 4X4X3X3

3 5 SHELF

DATE:

Jan-98

AUTHORIZED BY: K. Value

POG# 3

REVISED 1/98

COMPANY	SHARE	ROWS	CTNS	RACK	\$ MONTH	\$ YEAR
	OF MKT			SHARE		
PHILIP MORRIS	58.8	112	492	53.2		
RJ. REYNOLDS	16	40	160	17.3		
LORRILLARD	11	28	112	12.1		
B&W	12	26	104	11.3		
NO FRILLS		8	32	3.5		
L&M	2	6	24	2.6		
				-		
TOTAL		220	924			

4F I
PM
12 ROWS
5 HIGH
PM
12 ROWS
4 HIGH
PM
12 ROWS
4 HIGH
NO FRILLS LOR.
8 ROWS 4 ROWS
4 HIGH
B&W
12 ROWS
4 HIGH

4FT
PM
12 ROWS
5 HIGH
PM
12 ROWS
4 HIGH
PM
12 ROWS
4 HIGH
LORILLARD
12 ROWS
4 HIGH
LORILLARD
12 ROWS
4 HIGH

3F1	
PM	
10 ROWS	į
5 HIGH	
PM	
10 ROWS	
4 HIGH	
RJR	
10 ROWS	
4 HIGH	
RJR	
10 ROWS	
4 HIGH	٠
B&W	
10 ROWS	
4 HIGH	
	_

3 FT
PM
10 ROWS
5 HIGH
PM
10 ROWS
4 HIGH
RJR
10 ROWS
4 HIGH
RJR
10 ROWS
4 HIGH
LM
10 ROWS
4 HIGH

STORE # 623,591

SPECIFICATIONS

ROWS:

177.6

FOR:

PATHMARK

CAPACITY:

888

4x4 7 SHELF

DATE:

Jan-98

AUTHORIZED BY: A. V.S.L.

POG #4

REVISED 1/98

COMPANY	SHARE OF MKT	ROWS	CTNS	RACK SHARE	\$ MONTH	\$ YEAR
PHILIP MORRIS	58.8	99.6	498	56	<u> </u>	
RJ. REYNOLDS	16	24	120	13.5		
LORRILLARD	11	20	100	11.3		
B&W	12	20	100	11.3		
L&M	2	8	40	4.5		
NO FRILLS		6	30	3.3		
					 	
TOTAL.		177.6	888			

4

PM

12 ROWS 7 HIGH

PM

12 ROWS

5 HIGH

PM

12 ROWS

5 HIGH

NO FRILLS PM 6 ROWS 6 ROWS

5 HIGH

LOR **12 ROWS**

5 HIGH

B & W

12 ROWS

5 HIGH

RJR

12 ROWS

5 HIGH

4

PM **12 ROWS**

7 HIGH

PM

12 ROWS

5 HIGH

PM

12 ROWS

5 HIGH

PM

12 ROWS

5 HIGH

LOR LM 8 ROWS 4 ROWS

5 HIGH 5 HIGH

B & W LM

8 ROWS 4 ROWS

5 HIGH 5 HIGH

RJR

12 ROWS

STORE# 530

SPECIFICATIONS

ROWS:

DATE:

202.4

AUTHORIZED BY: P. Vitale

CAPACITY:

1,012

Nov-96

FOR: **PATHMARK**

4X4X3X3

4 SHELF

POG # 5

REVISED 1/98

COMPANY	SHARE	ROWS	CTNS	RACK	\$ MONTH	\$ YEAR
	OF MKT			SHARE		
PHILIP MORRIS	58.8	108.4	542	54%		
RJ. REYNOLDS	16	32	160	16%		
LORRILLARD	11	24	120	12%		
8&W	12	24	120	12%		
NO FRILLS		6	30	3%		-
Lam	2	8	40	4%		
TOTAL		202.4	1,012	100%		

4FT
PM
12 ROWS
8 HIGH
N.FRILLS/BASIC
6 ROWS/6 ROWS
5 HIGH
B&W
12 ROWS
5 HIGH
B&W
12 ROWS
5 HIGH

4FT
PM
12 ROWS
8 HIGH
PM
12 ROWS
5 HIGH
RJR
12 ROWS
5 HIGH
LM LOR.
8 ROWS 4 ROWS
5 HIGH 5 HIGH

3 FT	3FT
РМ	PM
10 ROWS	10 ROWS
8 HIGH	8 HIGH
PM	PM
10 ROWS	10 ROWS
5 HIGH	5 HIGH
RJR	RJR
10 ROWS	10 ROWS
5 HIGH	5 HIGH
LOR.	LOR.
10 ROWS	10 ROWS
5 HIGH	5 HIGH

----PLAN - O- GRAM

Store # 296

SPECIFICATIONS

ROWS:

200

840

FOR:

PATHMARK

3X3X3X3

5 SHELF

DATE:

CAPACITY:

Jan-98

AUTHORIZED BY: K. St.

POG # 6

REVISED 1/98

COMPANY	SHARE	ROWS	CTNS	RACK	\$ MONTH	\$ YEAR
	OF MKT			SHARE		
PHILIP MORRIS	58.8	100	440	52.3		
RJ. REYNOLDS	16	34	136	16.2		
LORRILLARD	11	30	120	14.3		
B&W	12	20	80	9.5		
NO FRILLS		6	24	2.9		
L&M	2	10	40	4.7		
TOTAL	<u> </u>	200	840	 		•

3FT
PM
10 ROWS
5 HIGH
PM
10 ROWS
4 HIGH
PM
10 ROWS
4 HIGH
NO FRILLS RJR
6 ROWS 4 ROWS
4 HIGH
LM
10 ROWS
4 HIGH

3FT
PM
10 ROWS
5 HIGH
PM
10 ROWS
4 HIGH
PM
10 ROWS
4 HIGH
LORILLARD
10 ROWS
4 HIGH
LORILLARD
10 ROWS
4 HIGH

3FT	
PM	
10 ROWS	
5 HIGH	
PM	
10 ROWS	
4 HIGH	
RJR	
10 ROWS	
4 HIGH	
LORILLARD	
10 ROWS	•
4 HIGH	
B&W	
10 ROWS	
4 HIGH	

3FT
PM
10 ROWS
5 HIGH
PM
10 ROWS
4 HIGH
RJR
10 ROWS
4 HIGH
RJR
10 ROWS
4 HIGH
B&W
10 ROWS
4 HIGH

SPECIFICATIONS

PATCHOUGUE

ROWS:

217.8

FOR:

PATHMARK

CAPACITY:

1,089

4x3x4 6 SHELF

DATE:

Jan-98

AUTHORIZED BY: Ka Calle

POG # 7

REVISED 1/98

COMPANY	SHARE OF MKT	ROWS	CTNS	RACK SHARE	\$ MONTH	\$ YEAR
PHILIP MORRIS	58.8	118.8	594	54.5		
RJ. REYNOLDS	16	36	180	16.5		
LORRILLARD	11	24	120	11		
B&W	12	22	110	10.1		
NO FRILLS		9	45	4.1		
L&M	2	8	40	3.67		
						<u></u>
TOTAL		217.8	1,089		 	

РМ **12 ROWS**

8 HIGH , PM

12 ROWS

5 HIGH

PM 12 ROWS

> 5 HIGH LOR.

12 ROWS

5 HIGH LOR.

12 ROWS

5 HIGH

LM & B&W.

8 ROWS 4 ROWS 5 HIGH

3

PM 9 ROWS

8 HIGH

PM

9 ROWS

5 HIGH

PM 9 ROWS

5 HIGH

NO FRILLS 9 ROWS

5 HIGH

B&W

9 ROWS

5 HIGH

B&W

9 ROWS 5 HIGH

РМ

12 ROWS

8 HIGH

PM 12 ROWS

5 HIGH

PM

12 ROWS

5 HIGH

RJR

12 ROWS

5 HIGH

RJR 12 ROWS

5 HIGH

RJR 12 ROWS

PLAN-A PLAN-O- GRAM

STORE #S 627,645,639,563,620

SPECIFICATIONS

ROWS:

DATE:

120

FOR:

PATHMARK

CAPACITY:

504

12/1/96

POG # 8

4x4 5 SHELF

AUTHORIZED BY: M. Selv

REVISED 1/98

COMPANY	SHARE OF MKT	ROWS	CTNS	RACK SHARE	\$ MONTH	\$ YEAR
PHILIP MORRIS	58.8	60	264	52.3		
RJ. REYNOLDS	16.0	24	96	19.0		
LORRILLARD	11.0	18	72	14.3	1	
B&W	12.0	18	72	14.3		
NO FRILLS						
LM	2.0					
TOTAL		120	504	99.8	-	

4

PM 12 ROWS

5 HIGH

, PM

12 ROWS

4 HIGH

PM 12 ROWS

> 4 HIGH LOR

12 ROWS

4 HIGH

LOR B&W 6 ROWS 6 ROWS

4 HIGH

4

PM 12 ROWS

5 HIGH

РМ

12 ROWS

4 HIGH

RJR

12 ROWS

4 HIGH

RJR

12 ROWS

4 HIGH

B&W 12 ROWS



Store #s 600,649,198,194,450,580,538,436,574,582,578,568,593,526,551,539,561 590,586,589,560 &529

SPECIFICATIONS

ROWS:

240

FOR:

PATHMARK

CAPACITY:

1,008

4X4X4X4

5 SHELF

DATE:

Jan-98

AUTHORIZED BY: R. Stale

POG #9

REVISED 1/98

COMPANY	SHARE	ROWS	CTNS	RACK	\$ MONTH	\$ YEAR
	OF MKT			SHARE		
PHILIP MORRIS	58.8	120	528	52.3		
rj. Reynolds	16	48	192	19		
LORRILLARD	11	32	128	12.7		
B&W	12	24	96	9.5		
NO FRILLS		8	32	3.1		
L&M	2	8	32	3.1		
TOTAL		240	1,008			l

4FT
PM
12 ROWS
5 HIGH
PM
12 ROWS
4 HIGH
PM
12 ROWS
4 HIGH
NO FRILLS LOR.
8 ROWS 4 ROWS
4 HIGH
L&M LOR.
8 ROWS 4 ROWS
4 HIGH

4FT
РМ
12 ROWS
5 HIGH
PM
12 ROWS
4 HIGH
PM
12 ROWS
4 HIGH
LORILLARD
12 ROWS
4 HIGH
LORILLARD
12 ROWS
4 HIGH

4FT
PM
12 ROWS
5 HIGH
PM
12 ROWS
4 HIGH
RJR
12 ROWS
4 HIGH
RJR
12 ROWS
4 HIGH
RJR
12 ROWS
4 HIGH

4FT
PM
12 ROWS
5 HIGH
PM
12 ROWS
4 HIGH
B&W
12 ROWS
4 HIGH
B&W
12 ROWS
4 HIGH
RJR
12 ROWS
4 HIGH

AND THE BURNEY OF

STORE#S/291,128,180,190,575,438,535,567,421,577

SPECIFICATIONS

ROWS:

250

FOR:

PATHMARK

CAPACITY:

1,254

3x4x3 7 SHELF

DATE:

Jan-98

AUTHORIZED BY: (. Ath

POG # 10

REVISED 1/98

COMPANY	SHARE OF MKT	ROWS	CTNS	RACK SHARE	\$ MONTH	\$ YEAR
PHILIP MORRIS	58.8	134	674	53.7		
RJ. REYNOLDS	16	38	190	15.2		•
LORRILLARD	11	36	180	14.3	•	
B&W	12	28	140	11.2		
NO FRILLS		6	30	2.4		
L&M	2	8	40	3.2		
TOTAL		250	1,254			

3

PM 10 ROWS

8 HIGH

, PM

10 ROWS 5 HIGH

PM

10 ROWS

5 HIGH

PM NO FRILLS 6 ROWS 4 ROWS

5 HIGH

LM NO FRILLS

8 ROWS 2 ROWS

5 HIGH

B&W

10 ROWS 5 HIGH

RJR

10 ROWS

5 HIGH

4

PM

13 ROWS

8 HIGH PM

13 ROWS

5 HIGH

PM

13 ROWS

5 HIGH

LOR 13 ROWS

5 HIGH

LOR

13 ROWS

5 HIGH

B&W

13 ROWS

5 HIGH

RJR

13 ROWS 5 HIGH 2

3 PM

10 ROWS

8 HIGH PM

10 ROWS

5 HIGH

PM

10 ROWS

5 HIGH

PM

10 ROWS

5 HIGH LOR

10 ROWS

5 HIGH

B&W RJR 5 ROWS 5 ROWS

5 HIGH

RJR

10 ROWS

STORE #S 292,452,581,527,534,572,594,282,284,270,682,683,619,634,604,632,298,293, 641,602,615,633 &636

SPECIFICATIONS

ROWS:

180

FOR:

PATHMARK

5 SHELF

CAPACITY:

756

4X4X4

DATE: Jan-98 AUTHORIZED BY: L. Intel-

POG #11

REVISED 1/98

COMPANY	SHARE	ROWS	CTNS	RACK	\$ MONTH	\$ YEAR
	OF MKT	1		SHARE		
PHILIP MORRIS	58.8	90	396	52.3		
RJ, REYNOLDS	16	36	144	19		
LORRILLARD	11	24	96	12.6		
B&W	12	18	72	· 9.5		
NO FRILLS		6	24	3.2		
L&M	2	6	24	3.2		
TOTAL	1	180	756	99.8		

4FT
PM
12 ROWS
5 HIGH
PM
12 ROWS
4 HIGH
NO FRILLS BASIC
6 ROWS 6 ROWS
4 HIGH
RJR
12 ROWS
4 HIGH
RJR
12 ROWS
4 High

411
PM
12 ROWS
5 HIGH
PM
12 ROWS
4 HIGH
PM
12 ROWS
4 HIGH
LORILLARD
12 ROWS
4 HIGH
LORILLARD
12 ROWS
4 HIGH

4FT
PM
12 ROWS
S HIGH
PM
12 ROWS
4 HIGH
B&W
. 12 ROWS
4 HIGH
L&M B&W
8 ROWS 4 ROWS
4 HIGH
RJR
12 ROWS
4 HIGH

STORE#S/618,554,526

SPECIFICATIONS

ROWS:

228

FOR:

PATHMARK

CAPACITY:

1,140

3x3x3 7 SHELF

DATE:

Jan-98

AUTHORIZED BY: Il Stelle

POG #12

REVISED 1/98

COMPANY	SHARE OF MKT	ROWS	CTNS	RACK SHARE	\$ MONTH	\$ YEAR
PHILIP MORRIS	58.8	122	610	53.5		
RJ. REYNOLDS	16.0	34	170	15.0		······································
LORRILLARD	11.0	30	150	13.2	1	· ·
B&W	12.0	30	150	13.2		· · · · · · · · · · · · · · · · · · ·
L&M	2.0	6	30	2.6		
NO FRILLS		6	30	2.6		
TOTAL		228	1140			

-

PM
10 ROWS
8 HIGH
, PM
10 ROWS
5 HIGH
PM
10 ROWS
5 HIGH
PM NO FRILLS
4 ROWS 6 ROWS
5 HIGH
B&W
10 ROWS
5 HIGH
LM RJR
6 ROWS 4 ROWS
5 HIGH
RJR
10 ROWS
5 HIGH

4

3

•	
PM	
10 ROWS	
8 HIGH	
PM	
10 ROWS	
5 HIGH	
PM	
10 ROWS	
5 HIGH	
PM	
10 ROWS	
5 HIGH	
LOR	
10 ROWS	
5 HIGH	
LOR	
10 ROWS	
5 HIGH	
RJR	
10 ROWS	
5 HIGH	

STORE#S/663,579,,547,595

SPECIFICATIONS

ROWS:

211.6

CAPACITY:

920

FOR: PATHMARK

3X3X4X4 4 SHELF

DATE: Jan-98 AUTHORIZED BY: Little

POG #13

REVISED 1/98

COMPANY	SHARE	ROWS	CTNS	RACK	\$ MONTH	\$ YEAR
	OF MKT			SHARE		
PHILIP MORRIS	58.8	113.6	528	57.3		
RJ. REYNOLDS	16	36	144	15.6		
LORRILLARD	11	26	104	11.3		
B&W	12	24	96	10.4		
NO FRILLS		6	24	2.6		
L&M	2	6	24	2.6		1
,						
TOTAL		211.6	920			

3FT
PM
10 ROWS
8 HIGH
N.F PM
6 ROWS 4 ROWS
4 HIGH
LM & B&W
6 ROWS 4 ROWS
4 HIGH
B&W
10 ROWS
4 HIGH

	3FT
1	PM
	10 ROWS
ļ	8 HIGH
	PM
	10 ROWS
	4 HIGH
	RJR
	10 ROWS
	4 HIGH
	B&W
	10 ROWS
	4 HIGH

4FT	4FT
PM	PM
13 ROWS	13 ROWS
8 HIGH	8 HIGH
PM	PM
13 ROWS	13 ROWS
4 HIGH	4 HIGH
RJR	RJR
13 ROWS	13 ROWS
4 HIGH	4 HIGH
LOR	LOR
13 ROWS	13 ROWS
4 HIGH	4 HIGH

STORE#S/648,622,112,178,189,536,512

SPECIFICATIONS

AUTHORIZED BY: N. State

ROWS:

255

FOR:

Pathmark

CAPACITY:

1,071

5X5X5 5 SHELF

DATE:

Nov-96

POG#14

REVISED 1/98

COMPANY	SHARE OF MKT	ROWS	CTNS	RACK Share	\$ MONTH	\$ YEAR
PHILIP MORRIS	58.8	129	567	52.9%		
rj. Reynolds	16.0	43	172	16%	1	
LORRILLARD	11.0	34	136	12.7%		
B&W	12.0	34	136	12.7%		
NO FRILLS		7	28	2.6%		
L&M	2.0	8	32	2.9%		
						·
TOTAL		255	1,071	· · · · · · · · · · · · · · · · · · ·		

5FT

PM
17 ROWS
5 HIGH
PM
17 ROWS
4 HIGH
PM
17 ROWS
4 HIGH
LOR
17 ROWS
4 HIGH
LOR
17 ROWS
4 HIGH

5F1
PM
17 ROWS
5 HIGH
РМ
17 ROWS
4 HIGH
PM NO FRILLS
10 ROWS 7 ROWS
4 HIGH
B&W
17 ROWS
4 HIGH
B&W
17 ROWS
4 HIGH

5FT

PM
17 ROWS
5 HIGH
PM
17 ROWS
4 HIGH
RJR
17 ROWS
4 HIGH
RJR
17 ROWS
4 HIGH
LM RJR
8 ROWS 9 ROWS
4 HIGH